


## Tapered Roller Bearings


Bearing No.	Dimensions (mm)				
	d	D	T	B	C
30202	15	35	11.75	11	10.0
30203	17	40	13.25	16	11.0
30204	20	47	15.25	14	12.0
30205	25	52	16.25	15	13.0
30206	30	62	17.25	16	14.0
30207	35	72	18.25	17	15.0
30208	40	80	19.75	18	16.0
30209	45	85	20.75	19	16.0
30210	50	90	21.75	20	17.0
30211	55	100	22.75	21	18.0
30212	60	110	23.75	22	19.0
30213	65	120	24.75	23	20.0
30214	70	125	26.25	24	21.0
30215	75	130	27.25	25	22.0
30216	80	140	28.25	26	22.0
30217	85	150	30.50	28	24.0
30218	90	160	32.50	30	26.0
30219	95	170	34.50	32	27.0
30220	100	180	37.00	34	29.0
30221	105	190	39.00	36	30.0
30222	110	200	41.00	38	32.0
30224	120	215	43.50	40	34.0
30226	130	230	43.75	40	34.0
30228	140	250	45.75	42	36.0
30230	150	270	49.00	45	38.0
30232	160	290	52.00	48	40.0
30234	170	310	57.00	52	43.0



## Tapered Roller Bearings


Bearing No.	Dimensions (mm)				
	d	D	T	B	C
30302	15	42	14.25	13	11.0
30303	17	47	17.25	14	12.0
30304	20	52	16.25	15	13.0
30305	25	62	18.25	17	15.0
30306	30	72	20.75	19	16.0
30307	35	80	22.75	21	18.0
30308	40	90	25.25	23	20.0
30309	45	100	27.25	25	22.0
30310	50	110	29.25	27	23.0
30311	55	120	31.50	29	25.0
30312	60	130	33.50	31	26.0
30313	65	140	36.00	33	28.0
30314	70	150	38.00	35	30.0
30315	75	160	40.00	37	31.0
30316	80	170	42.50	39	33.0
30317	85	180	44.50	41	34.0
30318	90	190	46.50	43	36.0
30319	95	200	49.50	45	38.0
30320	100	215	51.50	47	39.0
30322	110	240	54.50	50	42.0
30324	120	260	59.50	55	46.0
30326	130	280	63.75	58	49.0

Bearing No.	Dimensions (mm)				
	d	D	T	B	C
31305	25	62	18.25	17	13.0
31306	30	72	20.75	19	14.0
31307	35	80	22.75	21	15.0
31308	40	90	25.25	23	17.0
31309	45	100	27.25	25	18.0
31310	50	110	29.25	27	19.0
31311	55	120	31.50	29	21.0
31312	60	130	33.50	31	22.0
31313	65	140	36.00	33	23.0
31314	70	150	38.00	35	25.0
31315	75	160	40.00	37	26.0
31316	80	170	42.50	39	27.0
31317	85	180	44.50	41	28.0
31318	90	190	46.50	43	30.0
31319	95	200	49.50	45	32.0
31320	100	215	56.50	51	35.0




## Tapered Roller Bearings

Bearing No.	Dimensions (mm)				
	d	D	T	B	C
32004	20	42	15.00	15	12.0
32005	25	47	15.00	15	11.5
32006	30	55	17.00	17	13.0
32007	35	62	18.00	18	14.0
32008	40	68	19.00	19	14.5
32009	45	75	20.00	20	15.5
32010	50	80	20.00	20	15.5
32011	55	90	23.00	23	17.5
32012	60	95	23.00	23	17.5
32013	65	100	23.00	23	17.5
32014	70	110	25.00	25	19.0
32015	75	115	25.00	25	19.0
32016	80	125	29.00	29	22.0
32017	85	130	29.00	29	22.0
32018	90	140	32.00	32	24.0
32019	95	145	32.00	32	24.0
32020	100	150	32.00	32	24.0
32021	105	160	35.00	35	26.0
32022	110	170	38.00	38	29.0
32024	120	180	38.00	38	29.0
32026	130	200	45.00	45	34.0
32028	140	210	45.00	45	34.0
32030	150	225	48.00	48	36.0
32032	160	240	51.00	51	38.0
32034	170	260	57.00	57	43.0
32036	180	280	64.00	64	48.0
32038	190	290	64.00	64	48.0
32040	200	310	70.00	70	53.0




## Tapered Roller Bearings

Bearing No.	Dimension (mm)				
	d	D	T	B	C
32204	20	47	19.25	18	15.0
32205	25	52	19.25	18	16.0
32206	30	62	21.25	20	17.0
32207	35	72	24.25	23	19.0
32208	40	80	24.75	23	19.0
32209	45	85	24.75	23	19.0
32210	50	90	24.75	23	19.0
32211	55	100	26.75	25	21.0
32212	60	110	29.75	28	24.0
32213	65	120	32.75	31	27.0
32214	70	125	33.25	31	27.0
32215	75	130	33.25	31	27.0
32216	80	140	35.25	33	28.0
32217	85	150	38.50	36	30.0
32218	90	160	42.50	40	34.0
32219	95	170	44.50	43	37.0
32220	100	180	49.00	46	39.0
32221	105	190	53.00	50	43.0
32222	110	200	56.00	53	46.0
32224	120	215	61.50	58	50.0
32226	130	230	67.75	64	54.0
32228	140	250	71.75	68	58.0
32230	150	270	77.00	73	60.0
32232	160	290	84.00	80	67.0
32234	170	310	91.00	86	71.0
32236	180	320	91.00	86	71.0
32238	190	340	97.00	92	75.0
32240	200	360	104.00	98	82.0




## Tapered Roller Bearings

Bearing No.	Dimension (mm)				
	d	D	T	B	C
32303	17	47	15.25	19	16.0
32304	20	52	22.25	21	18.0
32305	25	62	25.25	24	20.0
32306	30	72	28.75	27	23.0
32307	35	80	32.75	31	25.0
32308	40	90	35.25	33	27.0
32309	45	100	38.25	36	30.0
32310	50	110	42.25	40	33.0
32311	55	120	45.50	43	35.0
32312	60	130	48.50	46	37.0
32313	65	140	51.00	48	39.0
32314	70	150	54.00	51	42.0
32315	75	160	58.00	55	45.0
32316	80	170	61.50	58	48.0
32317	85	180	63.50	60	49.0
32318	90	190	67.50	64	53.0
32319	95	200	71.50	67	55.0
32320	100	215	77.50	73	60.0
32322	110	240	84.50	80	65.0
32324	120	260	90.50	86	69.0
32326	130	280	98.75	93	78.0
33005	25	47	17.00	17	14.0
33006	30	55	20.00	20	16.0
33007	35	62	21.00	21	17.0
33008	40	68	22.00	22	18.0
33009	45	75	24.00	24	19.0
33010	50	80	24.00	24	19.0
33011	55	90	27.00	27	21.0
33012	60	95	27.00	27	21.0
33013	65	100	27.00	27	21.0
33014	70	110	31.00	31	25.5
33015	75	115	31.00	31	25.5
33016	80	125	36.00	36	29.5
33017	85	130	36.00	36	29.5
33018	90	140	39.00	39	32.5
33019	95	145	39.00	39	32.5
33020	100	150	39.00	39	32.5
33021	105	160	43.00	43	34.0
33022	110	170	47.00	47	37.5
33024	120	180	48.00	48	38.0



## Tapered Roller Bearings

Bearing No.	Dimension (mm)				
	d	D	T	B	C
33108	40	75	26.00	26	20.5
33109	45	80	26.00	26	20.5
33110	50	85	26.00	26	20.0
33111	55	95	30.00	30	23.0
33112	60	100	30.00	30	23.0
33113	65	110	34.00	34	26.5
33114	70	120	37.00	37	29.0
33115	75	125	37.00	37	29.0
33116	80	130	37.00	37	29.0
33117	85	140	41.00	41	32.0
33118	90	150	45.00	45	35.0
33119	95	160	49.00	49	38.0
33120	100	165	52.00	52	40.0
33122	110	180	56.00	56	43.0
33205	25	52	22.00	22	18.0
33206	30	62	25.00	25	19.5
33207	35	72	28.00	28	22.0
33208	40	80	32.00	32	25.0
33209	45	85	32.00	32	25.0
33210	50	90	32.00	32	24.5
33211	55	100	35.00	35	27.0
33212	60	110	38.00	38	29.0
33213	65	120	41.00	41	32.0
33214	70	125	41.00	41	32.0
33215	75	130	41.00	41	31.0
33216	80	140	46.00	46	35.0
33217	85	150	49.00	49	37.0
33218	90	160	55.00	55	42.0
33219	95	170	58.00	58	44.0
33220	100	180	63.00	63	48.0



## Tapered Roller Bearings (Inch Series)

Bearing No.		Dimensions (mm)						
Cone	Cup	d	D	T	B	C	R	r
11590	11520	15.875	42.862	14.288	14.288	9.525	1.5	1.5
LM11749	LM11710	17.462	39.878	13.843	14.605	10.668	1.3	1.3
LM11949	LM11910	19.050	45.237	15.494	16.637	12.065	1.3	1.3
09067	09195	19.050	49.255	18.034	19.05	14.288	1.3	1.3
09074	09196	19.050	49.225	23.020	21.539	17.462	1.5	1.5
09081	09196	20.625	49.225	23.020	21.539	17.462	1.5	1.5
12580	12520	20.638	49.225	19.845	19.845	15.875	1.5	1.5
M12649	M12610	21.430	50.005	17.526	18.288	13.970	1.3	1.3
LM12749	LM12710	21.986	45.237	15.494	16.637	12.065	1.3	1.3
LM12749	LM12711	21.986	45.974	15.494	16.637	12.065	1.3	1.3
07087 X	07210 x	22.225	50.800	15.011	14.260	25.400	1.5	1.5
L44643	L44610	25.400	50.292	14.224	14.732	10.668	1.3	1.3
M84548	M84510	25.400	57.150	19.431	19.431	14.732	1.5	1.5
15100	15245	25.400	62.000	19.050	20.638	14.288	3.5	1.3
15101	15245	25.400	62.000	19.050	20.638	14.288	0.8	1.3
15579 X	15520	26.000	57.150	19.446	17.462	13.495	1.5	1.5
L44649	L44610	26.968	50.292	14.224	14.732	10.668	3.5	1.3
J15585	15520	28.000	57.150	17.462	17.462	13.495	3.5	1.5
J15585	15520	28.000	57.150	17.462	17.462	13.495	3.5	2.0
1988	1922	28.575	57.150	19.845	19.355	15.875	3.5	1.5
02474	02420	28.575	68.262	22.225	22.225	17.462	0.8	1.5
02872	02820	28.575	73.025	22.225	22.225	17.462	0.8	3.3
L45449	L45410	29.000	50.292	14.224	14.732	10.668	3.5	1.3
M86649	M86610	30.162	64.292	21.433	21.433	16.670	1.5	1.5
M88043	M88010	30.162	68.262	22.225	22.225	17.462	2.3	1.5
LM67048	LM67010	31.750	59.131	15.875	16.764	11.811		1.3
M88046	M88010	31.750	68.262	22.225	22.225	17.462	1.5	1.5
15123	15245	31.750	62.000	18.161	19.050	14.288		1.3
2580	2520	31.750	66.421	25.400	25.357	20.638	0.8	3.3
2580	2523	31.750	69.850	23.812	25.357	19.050	0.8	1.3
2580	2523S	31.750	69.850	23.812	25.357	19.050	0.8	1.5
HM88542	HM88510	31.750	73.025	29.370	27.783	23.020	1.3	3.3
M88048	M88010	33.338	68.262	22.225	22.225	17.462	0.8	1.5
14131	14276	33.338	69.012	19.845	19.583	15.875	0.8	1.4
HM89443	HM89410	33.338	76.200	29.370	28.575	23.020	0.8	3.3
LM48548	LM48510	34.925	65.088	18.034	18.288	13.970		1.3
14137A	14276	34.925	69.012	19.845	19.853	15.875	1.5	1.3
14138A	14276	34.925	69.012	19.845	19.583	15.875	3.5	1.3
HM88649	HM88610	34.925	72.233	25.4	25.4	19.842	2.3	2.3
25877	25821	34.925	73.025	23.812	24.608	19.050	1.5	8.0
HM89446	HM89410	34.925	76.200	29.370	28.575	23.020	3.5	3.3
31594	31520	34.925	76.200	29.370	28.575	23.812	1.5	3.3
3478	3420	34.925	79.375	29.370	29.771	23.812	3.5	3.3
L68149	L68110	34.988	59.131	15.875	16.764	11.938		1.3
L68149	L68111	34.988	59.974	15.875	16.764	11.938		1.3
LM78349	LM78310A	34.988	61.973	16.700	17.000	13.600		1.5
2780	2720	36.847	76.200	23.812	25.654	19.050	1.5	3.3

**Tapered Roller Bearings (Inch Series)**

Bearing No.		Dimensions (mm)						
Cone	Cup	d	D	T	B	C	R	r
HM89449	HM89410	36.512	76.200	29.370	28.575	23.020	3.5	3.3
JL69349	JL69310	38.000	63.000	17.000	17.000	13.500		1.3
LM29748	LM29710	38.100	65.088	18.034	18.288	13.970		1.3
LM29749	LM29710	38.100	65.088	18.034	18.288	13.970	2.3	1.3
LM29749	LM29711	38.100	65.088	19.812	18.288	15.748	2.3	1.3
19150	19268	38.100	68.262	15.875	16.520	11.908	1.5	1.5
16150	16282	38.100	72.000	19.000	20.638	14.237	3.5	1.5
16150	16283	38.100	72.238	23.812	20.638	19.050	3.5	2.3
16150	16284	38.100	72.238	20.638	20.638	15.875	3.5	1.3
2788	2720	38.100	76.200	23.812	25.654	19.050	3.5	3.3
3490	3420	38.100	79.375	29.370	29.771	23.812	3.5	3.3
HM801346X	HM801310	38.100	82.550	29.370	28.575	23.020	0.8	3.3
J16154	J16285	39.000	72.015	21.500	20.690	16.790	3.5	1.0
2789	2729	39.688	76.200	23.812	25.654	19.050	3.5	0.8
2789	2735X	39.688	73.025	23.812	25.654	19.050	3.5	8.0
LM300849	LM300811	40.988	67.975	17.500	18.000	13.500		1.5
18590	18520	41.275	73.025	16.667	17.462	12.700	3.5	1.5
LM501349	LM501310	41.275	73.431	19.558	19.812	14.732	3.5	0.8
LM501349	LM501314	41.275	73.431	21.430	19.812	16.604	3.5	0.8
11162	11300	41.275	76.200	18.009	17.384	14.288	1.5	1.5
24780	24720	41.275	76.200	22.225	23.020	17.462	3.5	0.8
342	332B	41.275	80.000	21.000	22.403	17.826	3.5	0.8
3585	3520	41.275	84.138	30.162	30.886	23.812	1.5	3.3
3585	3525	41.275	87.312	30.162	30.886	23.812	1.5	3.3
M802048	M802011	41.275	82.550	26.543	25.654	20.193	3.5	3.3
HM803146	HM803110	41.275	88.900	30.162	29.370	23.020	3.5	3.3
3579	3525	42.862	87.312	30.162	30.886	23.812	3.5	3.3
26884	26883	42.875	76.200	25.400	25.400	20.638	3.5	1.5
342S	332	42.875	80.000	21.000	22.403	17.826	3.5	1.3
25577	25520	42.875	82.931	23.812	25.400	19.050	3.5	8.0
25577	25523	42.875	82.931	26.988	25.400	22.225	3.5	2.3
18685	18620	44.450	79.375	17.462	17.462	13.495	2.8	1.5
25580	25520	44.450	82.931	23.812	25.400	19.050	3.5	0.8
3578	3525	44.450	87.312	30.162	30.886	23.812	3.5	3.3
355	352	44.450	90.000	23.000	21.692	21.808	2.3	2.3
HM803149	HM803110	44.450	88.900	30.162	29.370	23.020	3.5	3.3
3782	3720	44.450	93.264	30.162	30.302	23.812	3.5	3.3
53177	53375	44.450	96.250	30.958	28.300	20.638	3.5	0.8
HM903249	HM903210	44.450	95.250	30.958	28.575	22.225	3.5	0.8
527	522	44.450	101.600	34.925	36.068	26.988	3.5	3.3
535	532A	44.450	111.125	38.100	36.957	30.162	3.5	3.3
25584	25520	44.983	82.931	23.812	25.400	19.050	1.5	0.8
17887	17831	45.230	79.985	19.842	20.638	15.080	2.0	1.3
LM102949	LM102910	45.242	73.431	19.558	19.812	15.748	3.5	0.8
LM603049	LM603011	45.242	77.788	19.842	19.842	15.080	3.5	0.8
LM603049	LM603012	45.242	77.788	21.430	19.842	16.667	3.5	0.8
LM603049	LM603014	45.242	79.974	19.842	19.842	15.080	3.5	0.8
25590	25523	45.613	82.931	26.988	25.400	22.225	3.5	2.3
25590	25520	45.618	82.931	23.812	25.400	19.050	3.5	0.8
25590	25522	45.618	83.058	23.876	25.400	19.114	3.5	2.0
28590	28521	45.618	83.058	23.812	25.400	19.050	3.5	3.3
LM503349	LM503310	45.987	74.976	18.000	18.000	14.000	2.3	1.5
18690	18620	46.038	79.375	17.462	17.462	13.495	2.8	1.5
359S	354A	46.038	85.000	20.638	21.692	17.462	2.3	1.3
359S	354X	46.038	85.000	20.638	21.692	17.462	2.3	1.5
M804049	M804010	47.625	88.900	25.400	25.400	19.050	3.5	3.3



## Tapered Roller Bearings (Inch Series)

Bearing No.		Dimensions (mm)						
Cone	Cup	d	D	T	B	C	R	r
3779	3720	47.625	93.264	30.162	30.302	23.812	3.5	3.3
386A	382A	47.625	96.838	21.000	21.946	15.875	0.8	0.8
528	522	47.625	101.600	34.925	36.068	29.988	3.5	3.3
JM205149	JM205110	50.000	90.000	28.000	28.000	23.000	3.0	2.5
JHM807045	JHM807012	50.000	105.000	37.000	36.000	29.000	3.0	2.5
LM104949	JLM10490	50.800	82.000	21.500	25.883	17.000	3.5	0.5
LM104949	LM104911	50.800	82.550	23.622	22.225	18.542	3.5	0.8
LM104949	LM104912	50.800	82.931	21.590	22.225	16.510	3.5	1.3
18790	18720	50.800	85.000	17.462	17.462	13.495	3.5	1.5
368	362A	50.800	88.900	20.638	22.225	16.513	1.5	1.3
368A	362A	50.800	88.900	20.638	22.225	16.513	3.5	1.3
28580	28521	50.800	92.075	24.608	25.400	19.845	3.5	0.8
3780	3720	50.800	93.264	30.126	30.302	23.812	3.5	3.3
529X	522	50.800	101.600	34.925	36.068	26.988	3.5	3.3
45284	45220	50.800	104.775	30.162	30.958	23.812	6.4	3.3
537	532X	50.800	107.950	36.512	36.957	28.575	3.5	3.3
HM807046	HM807010	50.800	104.775	36.512	36.512	28.575	3.5	3.3
HM907643	HM907614	50.800	111.125	30.162	28.575	20.638	3.5	3.3
55200C	55437	50.800	111.125	30.162	26.909	20.638	3.5	3.3
72200C	72487	50.800	123.825	36.512	32.791	25.400	3.5	3.3
28284	28521	52.388	92.075	24.608	25.400	19.845	3.5	0.8
33895	33822	53.975	95.250	27.783	28.575	22.225	1.5	0.8
539A	532X	53.975	107.950	36.512	36.957	28.575	5.5	3.3
72212C	72487	53.975	123.825	35.512	32.791	25.400	3.5	3.3
78215C	78551	53.975	140.030	36.512	33.236	23.520	3.5	2.3
HM807049	HM807010	53.975	104.775	36.512	36.512	28.575	3.5	3.3
JLM506849	JLM506810	55.000	90.000	23.000	23.000	18.500	1.5	0.5
JM207049	JM207010	55.000	95.000	29.000	29.000	23.500	1.5	2.5
28680	28622	55.562	97.630	24.608	24.608	19.446	3.5	0.8
387	382A	57.150	96.838	21.000	21.946	15.875	2.3	8.0
387A	382A	57.150	96.838	21.000	21.946	15.875	3.5	0.8
387AS	382A	57.150	96.838	21.000	21.946	15.875	5.0	0.8
387S	382A	57.150	96.838	21.000	21.946	15.875	0.8	0.8
462	453X	57.150	104.750	30.162	29.317	24.605	2.3	3.3
469	453X	57.150	104.775	30.162	29.317	29.317	3.5	3.3
45290	45220	57.150	104.775	30.162	30.958	23.812	2.3	3.3
390	394A	57.150	110.000	22.000	21.996	18.824	2.3	1.3
3979	3920	57.150	112.712	30.162	30.048	23.812	3.5	3.3
39580	39520	57.150	112.712	30.162	30.162	23.812	3.5	3.3
39581	39520	57.150	112.712	30.162	30.162	23.812	8.0	3.3
72225C	72487	57.150	123.825	36.512	32.791	25.400	3.5	3.3
JLM508748	JLM508710	60.000	95.000	24.000	24.000	19.000	5.0	2.5
3977	3920	60.000	112.712	30.162	30.048	23.812	3.5	3.3
H913840	H973810	60.000	146.050	41.275	39.688	25.400	3.5	3.3
28985	28921	60.325	100.000	25.400	25.400	19.845	3.5	3.3
28985	28920	60.325	101.600	25.400	25.400	19.845	3.5	3.3
HM212044	HM212011	60.325	122.238	38.100	38.354	29.718	8.0	3.3
5583	5535	60.325	122.238	43.658	43.764	36.512	3.5	3.3
558	552A	60.325	123.825	38.100	36.678	30.162	2.3	3.3
29585	29520	63.500	107.950	25.400	25.400	19.050	3.5	3.3
29586	29522	63.500	110.000	25.400	25.400	19.050	1.5	3.3
390A	394A	63.500	110.000	22.000	21.966	18.824	1.5	1.3
395	394A	63.500	110.000	22.000	21.996	18.824	3.5	1.3
3982	3920	63.500	112.712	30.162	30.048	23.812	3.5	3.3
39585	39520	63.500	112.712	30.162	30.162	23.812	3.5	3.3
HM212047	HM212010	63.500	122.238	38.100	38.354	29.718	7.0	1.5
HM212047	HM212011	63.500	122.238	38.100	38.354	29.718	7.0	3.3
559	552A	63.500	123.825	38.100	36.678	30.162	3.5	3.3
78250	78551	63.500	140.030	36.512	33.236	23.520	2.3	2.3

**Tapered Roller Bearings (Inch Series)**

Bearing No.		Dimensions (mm)						
Cone	Cup	d	D	T	B	C	R	r
JM511946	JM511910	65.000	110.000	28.000	28.000	22.500	3.0	2.5
HM212049	HM212010	66.675	122.238	38.100	38.354	29.718	3.5	1.5
HM212049	HM212011	66.675	122.238	38.100	38.354	29.718	3.5	3.3
29590	29522	66.675	107.950	25.400	25.400	19.050	3.5	0.8
395A	394A	66.675	110.000	22.000	21.996	18.824	0.8	1.3
395S	394A	66.675	110.000	22.000	21.996	18.824	0.8	1.3
3984	3920	66.675	112.712	30.162	30.048	23.812	3.5	3.3
3994	3920	66.675	112.712	30.162	30.048	23.812	5.5	3.3
39590	39520	66.675	112.712	30.162	30.162	23.812	3.5	3.3
HM212049	HM212010	66.675	122.238	38.100	38.354	29.718	3.5	1.5
560	552A	66.675	123.825	38.100	36.678	30.162	3.5	3.3
641	633	66.675	130.175	41.275	41.275	31.750	3.5	3.3
641	632	66.675	136.525	95.250	41.275	31.750	3.5	3.3
H414242	H414210	66.675	136.525	41.275	41.275	31.750	3.5	3.3
399A	394A	68.262	110.000	22.000	21.996	18.824	2.3	1.3
9278	9220	68.262	161.925	49.212	46.038	31.750	3.5	3.3
33275	33462	69.850	117.475	30.162	30.162	23.812	3.5	3.3
47487	47420	69.850	120.000	32.545	32.545	26.195	3.5	3.3
482	472	69.850	120.000	29.724	29.007	24.237	3.5	2.0
566	563	69.850	127.000	36.512	36.170	28.575	3.5	3.3
H913849	H913810	69.850	146.050	41.275	39.688	39.688	3.5	3.3
655	653	69.850	146.050	41.275	41.275	31.750	3.5	3.3
33281	33462	71.438	117.475	30.162	30.162	23.812	3.5	3.3
567A	563	71.438	127.000	36.512	36.170	28.575	3.5	3.3
645	632	71.438	136.525	41.275	41.275	31.750	6.4	3.3
H715345	H715311	71.438	136.525	46.038	46.038	36.512	3.5	3.3
29685	29620	73.025	112.712	25.400	25.400	19.050	3.5	3.3
33287	33462	73.025	117.475	30.162	30.162	23.812	3.5	3.3
JLM714149	JLM714110	75.000	115.000	25.000	25.000	19.000	3.5	2.5
JM714249	JM714210	75.000	120.000	31.000	29.500	25.000	3.0	2.5
HM215249	HM215210	75.987	131.975	39.000	39.000	32.000	7.0	3.5
27684	27620	76.200	125.412	25.400	25.400	19.845	3.5	1.5
495A	493	76.200	136.525	30.162	29.769	22.225	3.5	3.3
575	572	76.200	139.992	36.512	36.098	28.575	3.5	3.3
755	752	76.200	161.925	47.625	48.260	38.100	3.5	3.3
34306	34478	77.788	121.442	24.608	23.012	17.462	3.5	2.0
JM515649	JM515610	80.000	130.000	35.000	34.000	28.500	3.0	2.5
748S	742	80.000	150.089	44.450	46.672	36.512	3.0	3.3
27687	27620	82.550	125.412	25.400	25.400	19.845	3.5	1.5
47686	47620	82.550	133.350	33.338	33.338	26.195	3.5	3.3
47687	47620	82.550	133.350	33.338	33.338	26.195	6.8	3.3
580	572X	82.550	139.700	36.512	36.098	28.575	3.5	3.3
580	572	82.550	139.992	36.512	36.098	28.575	3.5	3.3
663	653	82.550	146.050	41.275	41.275	31.750	3.5	3.3
749A	742	82.550	150.089	44.450	46.672	36.512	3.5	3.3
749A	742A	82.550	150.000	44.450	46.672	36.512	3.5	3.3
27690	27620	83.345	125.412	25.400	25.400	19.845	3.5	1.5
498	492A	84.138	133.350	30.162	29.769	22.225	3.5	3.3
JM716649	JM716610	85.000	130.000	30.000	29.000	24.000	3.0	2.5
749S	742	85.026	150.089	44.450	46.672	36.512	5.0	3.3
749	742	85.026	150.089	44.450	46.672	36.512	3.5	3.3
497	492A	85.725	133.350	30.162	29.769	22.225	3.5	3.3
497	493	85.725	136.525	30.162	29.769	22.225	3.5	3.3
HM617049	HM617010	85.725	142.138	42.862	42.862	34.133	4.8	3.0
596	592A	85.725	152.400	39.688	36.322	30.162	3.5	3.3
HH221434	HH221410	88.900	190.500	57.150	57.531	46.038	8.0	3.3
HM518445	HM518410	88.900	152.400	39.688	36.688	30.162	6.4	3.3
593A	592A	88.900	152.400	39.688	36.322	30.162	6.4	3.3
593	592A	88.900	152.400	39.688	36.322	30.162	3.5	3.3

## Tapered Roller Bearings (Inch Series)

Bearing No.		Dimensions (mm)						
Cone	Cup	d	D	T	B	C	R	r
855	854B	88.900	190.500	57.150	57.531	44.450	8.0	3.3
6580	6535	89.900	161.925	53.975	55.100	42.862	3.5	3.3
HM218248	HM218210	89.974	146.975	40.000	40.000	32.500	7.0	3.5
598A	593X	92.075	150.000	35.992	36.322	27.000	6.4	3.0
598A	592A	92.075	152.400	39.688	36.322	30.162	6.4	3.3
598	592A	92.075	152.400	39.688	36.322	30.162	3.5	3.3
778	772	92.075	180.975	47.625	48.006	38.100	3.5	3.3
JM719149	JM719113	95.000	150.000	35.000	34.000	27.000	3.0	2.5
594A	592A	95.250	152.400	39.688	36.322	30.162	5.0	3.3
594	592A	95.250	152.400	39.688	36.322	30.162	3.5	3.3
594	593X	95.250	150.000	35.992	36.322	27.000	3.5	3.3
683	672	95.250	168.275	41.275	41.275	30.162	3.5	3.3
42381	42584	96.838	148.430	28.575	28.971	21.433	3.5	3.3
JM720249	JM720210	100.000	155.000	36.000	35.000	28.000	3.0	2.5
JHM720249	JHM720210	100.000	160.000	41.000	40.000	32.000	3.0	2.5
HH221449	HH221410	101.600	190.500	57.150	57.531	46.038	8.0	3.3
687	672	101.600	101.600	168.275	41.275	30.162	3.5	3.3
861	854	101.600	190.500	57.150	57.531	44.450	8.0	3.3
HH923649	HH923610	101.600	250.825	76.200	73.025	50.800	6.4	6.4
941	932	101.600	212.725	66.675	66.675	53.975	7.0	3.3
98400	98789D	101.600	200.025	115.888	49.212	80.216	3.5	2.3
782	772	104.775	180.975	47.625	48.006	38.100	3.5	3.3
786	772	104.775	180.975	47.625	48.006	38.100	6.4	3.3
787	772	104.775	180.975	47.625	48.006	38.100	7.0	3.3
L521949	L521910	107.950	152.400	21.433	21.433	16.670	1.5	1.5
37425	37625	107.950	158.750	23.020	21.438	15.875	3.5	3.3
56425	56650	107.950	165.100	36.512	36.512	26.988	3.5	3.3
37431	37625	109.538	158.750	23.020	21.438	15.875	3.5	3.3
JM822049	JM822010	110.000	165.000	35.000	35.000	26.500	3.0	2.5
JHM522649	JHM522610	110.000	180.000	47.000	46.000	38.000	3.0	2.0
64450	64700	114.300	177.800	41.275	41.275	30.162	3.5	3.3
HM926740	HM926710	114.300	228.600	53.975	49.428	38.100	3.5	3.3
938	932	114.300	212.725	66.675	66.675	53.975	7.0	3.3
48282	48220	120.650	182.562	39.688	38.100	33.338	3.5	3.3
795	792	120.650	206.375	47.625	47.625	34.925	3.3	3.3
48290	48220	127.000	182.562	39.688	38.100	33.338	3.5	3.3
799	792	128.588	206.375	47.625	47.625	34.925	3.3	3.3
95525	95925	133.350	234.950	63.500	63.500	49.212	9.7	3.3
67390	67322	133.350	196.850	46.038	46.038	38.100	3.5	3.3
HH231649	HH231610	139.700	288.925	82.550	87.312	57.150	9.7	6.4
99550	99100	139.700	254.000	66.675	66.675	47.625	7.0	3.3
48685	48620D	142.875	200.025	87.315	39.688	73.025	3.5	0.8
36690	36620B	146.050	193.675	28.575	28.575	23.020	1.5	1.5
HH932145	HH932110	146.050	304.800	88.900	82.550	57.150	6.4	6.4
99600	99100	152.400	254.000	66.675	66.675	47.625	7.0	3.3
46780	46720	158.750	225.425	41.275	39.688	33.338	3.5	3.3
46790	46720	165.100	225.425	41.275	39.688	33.338	3.5	3.3
M236849	M236810	177.800	260.350	53.975	53.975	41.275	3.5	3.3
HM237545	HM237510	177.800	288.925	63.500	63.500	47.625	7.0	3.3
67885	67820	190.500	266.700	47.625	46.833	38.100	3.5	3.3
H242649	H242610	206.375	336.550	98.425	100.012	77.788	3.3	3.3
93825	93125	209.550	317.500	63.500	63.500	46.038	4.3	3.3
M244249DW	M244210CD	219.936	314.325		123.822	106.362		1.5
M348449	M348410	247.650	346.075	63.500	63.500	50.800	6.4	6.4
HM252348	HM252310	260.350	422.275	86.121	79.771	66.675	6.8	3.3
M255449	M255410	288.925	406.400	77.788	77.788	60.325	6.4	3.3
L357049	357010CD	304.800	393.700	50.800	50.800	38.100	6.4	3.3
L860049	L860010	330.200	415.925	47.625	47.625	34.925	3.5	3.3